

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	4933	position with (measure or measuring or measurement) with magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:22		
2	BRS	5	position with orientation with (measure or measuring or measurement) with magnetic with (sensor or sensors) with object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:57		
3	BRS	125	position with (measure or measuring or measurement) with magnetic with (sensor or sensors) with object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:05		
4	BRS	413	position with (measure or measuring or measurement) with magnetic with object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:06		
5	BRS	112	object with position with orientation with (measure or measuring or measurement) and magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:08		
6	BRS	51	object with position with orientation with (measure or measuring or measurement) and magnetic and (transducer or transducers or transmitter or transmitters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 15:04		
7	BRS	38	object with position with orientation with (measure or measuring or measurement) and magnetic and (transducer or transducers or transmitter or transmitters) and (receiver or receivers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:53		
8	BRS	2	"20020062203"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:11		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
9	BRS	10	object with position with orientation with (measure or measuring or measurement) and magnetic and (transducer or transducers or transmitter or transmitters) and (receiver or receivers) and eddy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:32		
10	BRS	21	object with position with orientation with (measure or measuring or measurement) and magnetic and (transducers or transmitters) and (receiver or receivers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 11:01		
11	BRS	143	367/128.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:16		
12	BRS	3114	702/36-38,57,65-67,92-95,105,127,150-153,183,190,197.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:18		
13	BRS	2261	702/for.103-for.106,for.110,for.124,for.130,for.134-for.135,for.144,for.155,for.164,for.170-for.171.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:19		
14	BRS	2635	324/207.2,207.21,207.25,173,202.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:19		
15	BRS	458	700/63,69,85,258.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:20		
16	BRS	19	object with position with orientation with (measure or measuring or measurement) and magnetic and (transducer or transducers or transmitter or transmitters) and (receiver or receivers) and antenna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:46		
17	BRS	2833	magnetic with field with (transmitter or transmitters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 15:14		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
18	BRS	1	magnetic with field with (transmitter or transmitters) with power with frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:48		
19	BRS	322	magnetic with field with (transmitter or transmitters) with power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:49		
20	BRS	0	magnetic with field with (transmitter or transmitters) with receiver with power and position with prientation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:50		
21	BRS	4	magnetic with field with (transmitter or transmitters) with receiver with power and position with orientation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:50		
22	BRS	128	magnetic with field with (transmitter or transmitters) with receiver with power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:54		
23	BRS	98	magnetic adj field adj (transmitter or transmitters) with receiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:55		
24	BRS	2	magnetic adj field adj transmitters with receiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:56		
25	BRS	96	magnetic adj field adj transmitter with receiver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:57		
26	IS&R	2	("4054881").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 11:54		
27	BRS	1	magnetic with field with (transmitter or transmitters) with receiver and position with orientation with (accelerator or acceleration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 15:17		
28	BRS	28	magnetic with field with (transmitter or transmitters) with receiver and position with orientation and (accelerator or acceleration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 15:05		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
29	IS&R	2	("4812812").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 15:30		
30	BRS	6	object with position with orientation with (measure or measuring or measurement) and magnetic and (transducer or transducers or transmitter or transmitters) and (receiver or receivers) and (accelerator or acceleration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:58		
31	BRS	0	object with position with orientation with (measure or measuring or measurement) and magnetic and (transducer or transducers or transmitter or transmitters) and (receiver or receivers) and (accelerator or acceleration or velocity) and magnet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 10:30		
32	BRS	6	object with position with orientation with (measure or measuring or measurement) and magnetic and (transducer or transducers or transmitter or transmitters) and (receiver or receivers) and (accelerator or acceleration or velocity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 10:31		
33	BRS	0	eddy adj1 (current or currents) and virtual with magnetic with field with (transmitter or transmitters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 11:56		
34	BRS	0	eddy adj1 (current or currents) and virtual with magnetic with field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 11:56		
35	BRS	0	eddy adj1 (current or currents) and virtual with magnetic with field with (transmitter or transmitters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 11:56		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
36	BRS	23	eddy adj1 (current or currents) and virtual with magnetic with field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 11:58		
37	BRS	6	eddy with (current or currents) with virtual with magnetic with field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:07		
38	BRS	23	eddy with (current or currents) and virtual with magnetic with field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:05		
39	BRS	3	eddy with (current or currents) and virtual with magnetic with field and (transmit or transmitter or transmits or transmitters) with (receiver or receivers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:05		
40	BRS	0	eddy and virtual adj magnetic adj field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:08		
41	BRS	0	eddy and virtual adj magnetic adj field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:08		
42	BRS	16	virtual adj magnetic adj field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:29		
43	BRS	2	eddy with virtual adj magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:11		
44	BRS	2	eddy same (virtual adj magnetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:12		
45	BRS	3	eddy and (virtual adj magnetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:12		
46	BRS	9	position with (virtual adj magnetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:21		
47	BRS	88	position with (measure or measuring or measurement) and virtual with magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:28		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
48	BRS	7	position with (measure or measuring or measurement) and virtual with magnetic and eddy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:28		
49	BRS	2	position with (measure or measuring or measurement) and virtual with eddy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:26		
50	BRS	15	position with (measure or measuring or measurement) with virtual with magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:30		
51	BRS	0	eddy and position with orientation with virtual with magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:03		
52	BRS	13	position with orientation with virtual with magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:33		
53	BRS	148	position with virtual with magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:33		
54	BRS	3	position with virtual with magnetic and eddy with (current or currents)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 12:34		
55	BRS	10	eddy with virtual with magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:08		
56	IS&R	3	("3937148").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:05		
57	BRS	18	eddy same virtual with magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:08		
58	BRS	8	eddy same virtual with magnetic not (eddy with virtual with magnetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:08		
59	BRS	261	virtual with magnetic with field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:10		
60	BRS	26	eddy and (virtual with magnetic with field)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:10		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
61	BRS	16	virtual adj1 magnetic adj1 field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:38		
62	BRS	0	virtual adj1 magnetic adj1 field with (transmit or transmitter or transmitters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:33		
63	BRS	0	virtual adj1 magnetic adj1 field and (transmit or transmitter or transmitters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:33		
64	BRS	0	virtua adj magnetic adj field with (transmit or transmitter or transmitters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:33		
65	BRS	0	virtua with magnetic with field with (transmit or transmitter or transmitters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:33		
66	BRS	1	virtual with magnetic with field with (transmit or transmitter or transmitters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:34		
67	IS&R	2	("5136225").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:34		
68	BRS	2	virtual with magnetic with field same (transmit or transmitter or transmitters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:37		
69	BRS	0	eddy with current with virtual with mangetic with field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:38		
70	BRS	0	(eddy with current) and (virtual with mangetic with field)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:38		
71	BRS	0	(virtual with mangetic with field)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:38		
72	BRS	261	virtual with magnetic with field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:42		
73	BRS	3	(eddy with current) with virtual with magnetic with field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:39		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
74	BRS	14	(eddy with current) and virtual with magnetic with field	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:42		
75	BRS	6	virtual with magnetic with field with position with sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:43		
76	BRS	30	virtual with magnetic with field with position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:44		
77	BRS	1	position with orientation with (measure or measuring or measurement) with magnetic with (sensor or sensors) with object and high with speed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 14:59		
78	BRS	47	position with (measure or measuring or measurement) with magnetic with object and high with speed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 15:00		
79	BRS	3	position with (measure or measuring or measurement) with magnetic with object and (transmitter or transmitters) with (receiver or receivers) and high with speed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 15:01		
80	BRS	2	object with position with orientation with (measure or measuring or measurement) and magnetic and (transducer or transducers or transmitter or transmitters) and high with speed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 15:04		
81	BRS	161	magnetic with field with (transmitter or transmitters) with receiver and position and high with (speed or accuracy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 15:15		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
82	BRS	0	magnetic with field with (transmitter or transmitters) with receiver and position with object with reference with frame and high with (speed or accuracy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 15:16		
83	BRS	37	magnetic with field with (transmitter or transmitters) with receiver and position with object and high with (speed or accuracy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 15:50		
84	BRS	28	magnetic with field with (transmitter or transmitters) with receiver and position with orientation and acceleration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 16:29		
85	BRS	22	HMD adj1 unit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 15:48		
86	BRS	0	HMD adj1 unit with metal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 15:48		
87	BRS	2	HMD adj1 unit and metal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 15:48		
88	BRS	0	magnetic with field with (transmitter or transmitters) with receiver and position with object with metal and high with (speed or accuracy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 15:50		
89	IS&R	2	("5646525").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 16:21		
90	BRS	15	magnetic with field with (transmitter or transmitters) with receiver and position and (demodulate or demodulating) with (amplify or amplifying or amplifier or amplified)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 16:31		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
91	BRS	0	magnetic with field with (transmitter or transmitters) with receiver and position and (demodulate or demodulating) with (amplify or amplifying or amplifier or amplified) with (proportion or proportional)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 09:25		
92	BRS	13	magnetic with field with (transmitter or transmitters) with receiver and position and (demodulate or demodulating) with (amplify or amplifying or amplifier or amplified) and (proportion or proportional)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 16:32		
93	BRS	1	virtual with magnetic with field with (transmitter or transmitters or transducer or transducers or (position adj sensor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/02 17:21		
94	BRS	6	virtual with magnetic with field with eddy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 09:06		
95	BRS	0	virtual with magnetic with field and eddy and helmet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 09:07		
96	BRS	0	virtual with magnetic and eddy and helmet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 09:07		
97	BRS	0	virtual with magnetic and eddy and helmet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 09:07		
98	BRS	38	virtual with magnetic and helmet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 09:08		
99	BRS	2	magnetic with field with (transmitter or transmitters) and position with object and eddy with current and virtual	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 09:30		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
100	BRS	44	magnetic with field with (transmitter or transmitters) and position with object and eddy with current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 09:32		
101	BRS	75	magnetic with field with (transmitter or transmitters) with eddy with current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 09:33		
102	BRS	12	magnetic with field with (transmitter or transmitters) with eddy with current and position with object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 10:14		
103	BRS	0	6172499.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 09:34		